

 (\mathbf{R})

www.mathewsons.com

Foldable Paltform Hand Truck • Boltless Storage Rack Wheel Barrow • Alteco Super Glue Coconut Shell Charcoal



<complex-block>





Easy Handling

Made from steel, it is a sturdy and reliable build. It includes a non-slip deck surface to prevent items from falling off



Protective Rubber Mat and Bumper

Non slip deck surface and rubber bumpers on all four corners. The rubber bumpers and rounded corners will assist in buffering collisions.



Easy Folding For Storage

The four secure, heavy duty wheels offer seamless and reliable transportation for your items and materials Opens and Closes in seconds, easier storage and transportation. Ideal for use in warehouses, receiving docks, distribution facilities and manufacturing plants

360° Rotation Front Wheel

Platform Trolley Contains 4 rolling wheels that provide stability and simple mobility, can be taken and stored anywhere. 360 degree smooth rotational front wheels for comfort movement.



Use: Ideal storage solution for Banks Schools, Retail stores, Hospitals, Offices, Warehouses and many more.

- Easy to install and dismantle.
- No bolt and nuts.
- More "Key Holes" means More Level.
- Color: Black, White & Grey.
- Epoxy power coating for protect against corrosions and scratches.
- Freely adjustable.
- Hold up to 80kg of UDL per level.
- Steel Decking.
- Imported product.
- Reinforced design
- 21 Gauge











Boltless shelving is a flexible shelving alternative by virtue that it may be modified into configurations. It's a type of mix and match storage option.

- Complete boltless connection no bolts, screws, or pins
- Access to all sides no sway or cross braces
- Maximize storage with multiple shelf storage options
- Utility Rack Garage Shelves Display Rack Steel Boltless Rivet Rack
- Universal and strong garage shelf.
- The storage shelves & shelving unit will be perfect for use in garage, office, warehouse, workshop, storage, home, kitchen, etc.







INSTALLATION MANUAL




PARTS LIST			
ITEM	DESCRIPTION	QTY	
1	Post	8	
2	Short Beam (Sides)	8	
3	Metal Bracket	4	
4	Plastic Foot Cap	4	
5	Fiber Board	4	
6	Long Beam (Front & Back)	8	

- 🛞 No Bolt & Nut required.
- 🔿 Please use a Rubber Or Wooden mallet to knock the Beams into the Post.

Steps To Follow









RACK DIMENSION







1800 mm



150 KG Single Wheel Barrow Load: 150 kg Outer length:80 cm & Outer width:65 cm Inner length: 40 cm & Inner width:40 cm Rust Proof: Epoxy powder coating Thickness: 18 guage Wheel Type:Pneumatic Color Grey, Mild Steel Depth:40 - Height:40 - Length:80 Finish Polished



200 KG Double Wheel Barrow

Load: 200 kg Outer length:80 cm & Outer width:65 cm Inner length: 40 cm & Inner width:40 cm Rust Proof: Epoxy powder coating Thickness: 18 guage Wheel Type:Pneumatic Color Grey, Mild Steel Depth:40 - Height:40 - Length:80 Finish Polished



ALTECO Super Glue

ADHESIVES

The product is of Indonesia origin

World's No 1 adhesive of Japanese technology



SUPER GLUE 1G

TRUE TO THE REAL PROPERTY OF T

Pcs/Sheet1gm X 12 pcsCarton48 SheetsTotal Qty/Carton576 pcs

Appearance	Transparent Liquid
Viscosity	Medium
Set Time	Fast

SG - 12

- Super strong
- Quick cure
 Suitable for motal plastic
- Suitable for metal, plastic, rubber, wood and general use.
- Available in both pin and self -
- penetration (SP) cap.



SUPER GLUE 3G

Pcs/Sheet	3gm X 12 pcs
Carton	28 Sheets
Total Qty/Carton	336 pcs
Total Qty/Carton	336 pcs

Appearance	Transparent Liquid
Viscosity	Medium
Set Time	Fast

SG - 12

- Super strongQuick cure
- Suitable for metal, plastic, rubber,
- wood and general use. • Available in both pin and self
 - penetration (SP) cap.







Glue Stick 8g

Pcs/Box30pcsCarton24Boxes X 30pcsTotal Qty/Carton720pcs





COCONUT SHELL

HEXAGON BRIOUETTES



MATS Charcoal is proceed from100% natural coconut shell. There is no toxic chemical substances used. It is long lasting, natural and eco friendly.

Suggestion For Use

We recommend not to use startup flame to light up to avoide aftertaste or odor. Expose the MATS Charcoal to constant flame for few minute. After few minutes, it will begin to glow grey and then orange.



SPECIFICATION

Hexagonal Shape, 6 Inches Length Diameter: 50mm Centre Holes: 10mm Burning Time: 4-6 Hrs Ash Content: 15% Ash Colour: Silver White Fixed Carbon: 55 - 60% Moisture: 2-3% VM: 12%



COMPARISION

WOOD CHARCOAL & COCONUT SHELL CHARCOAL

WOOD/COAL CHARCOAL

Unhygienic Heterogeneous Non Food Grade Low Heat Energy Unpredictable Food Quality

COCONUT SHELL CHARCOAL

Hygiene

Homogeneous Food Grade, Water purifier Higher Heat Energy - 7.34 times higher Consistent and distinctive aroma of food prepared









www.mathewsons.com since 1978

MATHEWSONS EXPORTS & IMPORTS PVT LTD

(An ISO Certified & Govt. of India Recognized Export House)

Mathewsons Building, Kaloor, Cochin - 682 017, India

≤ online@mathewsons.com | ⊕ www.mathewsons.com | www.mathewsonsmart.com